


**BRASS BARS**

**ROUNDS**

**ASTM B16-360**

Stock Lengths 10 to 12 ft

| <b>Diameter</b><br>Inches | <b>Weight</b><br>lbs per ft |
|---------------------------|-----------------------------|
| <b>3/16</b>               | .102                        |
| <b>1/4</b>                | .199                        |
| <b>3/8</b>                | .449                        |
| <b>1/2</b>                | .798                        |
| <b>5/8</b>                | 1.246                       |
| <b>3/4</b>                | 1.795                       |
| <b>1</b>                  | 3.19                        |
| <b>1 1/2</b>              | 7.18                        |




**BRASS BARS**

**FLATS**

**ASTM B16-360**

Stock Lengths 10 to 12 ft

| <b>Size</b><br>Inches | <b>Weight</b><br>lbs per ft |
|-----------------------|-----------------------------|
| <b>1/8 X 1/4</b>      | .115                        |
| <b>1/8 X 1/2</b>      | .23                         |
| <b>1/8 X 1</b>        | .460                        |
| <b>1/8 X 1 1/2</b>    | .724                        |
| <b>1/4 X 1/2</b>      | .461                        |
| <b>1/4 X 1</b>        | .921                        |




**BRASS BARS  
SQUARES**

**ASTM B16-360**

Stock Lengths 10 to 12 ft

| <b>Size</b><br>Inches | <b>Weight</b><br>lbs per ft |
|-----------------------|-----------------------------|
| <b>3/16</b>           | 0.13                        |
| <b>1/4</b>            | 0.23                        |
| <b>5/16</b>           | .36                         |
| <b>3/8</b>            | .518                        |
| <b>1/2</b>            | .921                        |
| <b>9/16</b>           | 1.17                        |
| <b>5/8</b>            | 1.44                        |
| <b>3/4</b>            | 2.07                        |
| <b>1</b>              | 3.68                        |
| <b>1 1/4</b>          | 5.76                        |
| <b>1 1/2</b>          | 8.29                        |



**BRASS BARS**

**HEXAGONS**

**ASTM B16-360**

Stock Lengths 10 to 12 ft

| <b>Size<br/>Across Flats<br/>Inches</b> | <b>Weight<br/>lbs per ft</b> |
|---|------------------------------|
| <b>1/4</b>                              | .199                         |
| <b>3/8</b>                              | .449                         |
| <b>7/16</b>                             | .611                         |
| <b>1/2</b>                              | .798                         |
| <b>5/8</b>                              | 1.246                        |
| <b>3/4</b>                              | 1.795                        |
| <b>1</b>                                | 3.19                         |
| <b>1 1/2</b>                            | 7.18                         |